

A+ Computer Science

# Number Systems

# Number Systems

**What is the Standard Base we work with in our everyday lives?**

**Why do we work in that base?**

10101001000011  
100010001111001  
10101010101011001

# Number Systems

**2 – 10100100**

**8 - 5672**

101010100100000111  
100001000011111001  
1010101010101011001

**10 – 78645**

**16 – ABC983EF**

# bases.java

# Base 10

**What is 235 really?**

**Is it 235 or is there more to it?**

**In actuality, 235 is**

**2 \* 10 to the 2nd power (100) +  
3 \* 10 to the 1st power (10) +  
5 \* 10 to the 0th power (1).**

**If you add these up you end up with 235.**

# Any base to base 10

**All number systems regardless of the base work off of the same principles.**

**You can convert any base to base 10 by following the power system.**

# Any base to base 10

Given 32 in base 4, you could convert it by

$$\begin{array}{cccc} 4^3 & 4^2 & 4^1 & 4^0 \\ * & * & * & * \\ 0 & + & 0 & + & 3 & + & 2 \end{array}$$

$$0 * 64 + 0 * 16 + 3 * 4 + 2 * 1$$

**32 in base 4 is 14 in base 10**

# Base 10 to any base

Given the base 10 number 70, you could convert it to base 5 following these easy steps :

			base to	<u>num10</u>	remainder
1st	divide	70 by 5	5	70	0
2nd	divide	14 by 5	5	14	4
3rd	divide	2 by 5	5	2	2
				0	

The number **70** base 10 = **240** in base 5.



# Any base to any base

**1st - Convert the number you want to convert to Base 10.**

**2nd - Convert the Base 10 result to the new base you want.**

# Binary

	Binary digits			
Base 10	8	4	2	1
1	0	0	0	1
2	0	0	1	0
3	0	0	1	1
4	0	1	0	0
5	0	1	0	1
6	0	1	1	0
7	0	1	1	1
8	1	0	0	0

# Base 2 to Base 16

**There is a direct conversion from base 2 to base 8 & base 16 without using base 10.**

**8 and 16 are powers of 2 so they convert directly.**

```
10101000100000111
10000100001111001
10101010101011001
```

# Base 2 to Base 16

**Base 2 converts directly to base 16 as each 4 bit section of base 2 equals one base 16 digit.**

**1111 = 15 15 is maximum single digit for 16**

**10 11**  
**1010 1011 = AB in base 16**

**1 4 10**  
**0001 0100 1010 = 14A in base 16**

## HEX

A – 10  
B – 11  
C – 12  
D – 13  
E – 14  
F – 15


# Base 2 to Base 8

**Base 2 converts directly to base 16 as each 3 bit section of base 2 equals one base 8 digit.**

**111 = 7 7 is maximum single digit for base 8**

**5 3**  
**101 011 = 53 in base 8**

**1 2 7**  
**001 010 111 = 127 in base 8**



# Java Base Conversion

```
int base10 = Integer.parseInt("324",6);  
out.print("324 base 6 == ");  
out.println(base10 + " base10");
```

```
out.print("124 base10 == ");  
out.println(Integer.toString(base10,16)+" base16\n\n");
```

```
out.println(Integer.toBinaryString(90));  
out.println(Integer.toOctalString(90));  
out.println(Integer.toHexString(90).toUpperCase());
```

## **OUTPUT**

```
324 base 6 == 124 base10  
124 base10 == 7c base16
```

```
1011010  
132  
5A
```

# javabase.java

# Addition

# Substraction

# Any Base



# Any Base Math

$$\begin{array}{r} 145 \\ + 345 \\ \hline 512 \end{array} \quad \begin{array}{l} \text{base } 8 \\ \text{base } 8 \end{array}$$

$$\begin{array}{r} 149 \\ + 345 \\ \hline 492 \end{array} \quad \begin{array}{l} \text{base } 12 \\ \text{base } 12 \end{array}$$

$$\begin{array}{r} 427 \\ - 345 \\ \hline 72 \end{array} \quad \begin{array}{l} \text{base } 9 \\ \text{base } 9 \end{array}$$


# Bitwise – Binary Operators

**&   |   ^   <<   >>**

**These operators manipulate the binary digits of variables.**

# Operator Precedence

()	HIGH
! ++ --	
* / %	
+ -	
<< >> (bitwise shifts)	
< <= > >=	
== !=	
& (bitwise and )	
^ (bitwise xor )	
(bitwise or )	
&&	
= += -= *= /= %=	
,	LOW



# Bitwise AND

```
int one=8;  
int two=7;
```

binary representation				
	8	4	2	1
one	1	0	0	0
two	0	1	1	1
result	0	0	0	0

```
out.println("8 & 7 == " + (one&two));
```

**OUTPUT**

**8 & 7 == 0**

# Bitwise OR

```
int one=8;  
int two=7;
```

binary representation				
	8	4	2	1
one	1	0	0	0
two	0	1	1	1
result	1	1	1	1

```
out.println("8 | 7 == " + (one | two));
```

**OUTPUT**

**8 | 7 == 15**

# Bitwise XOR

```
int one=8;  
int two=7;
```

binary representation				
	8	4	2	1
one	1	0	0	0
two	0	1	1	1
result	1	1	1	1

```
out.println("8 ^ 7 == " + (one^two));
```

**OUTPUT**

**8 ^ 7 == 15**

**bitwiseand.java**  
**bitwiseor.java**  
**bitwisexor.java**

# Bitwise SHIFT LEFT

```
int one=8;
```

16	8	4	2	1
0	1	0	0	0
1	0	0	0	0

```
out.println("8 << 1 == " + (one<<1));
```

## SHORTCUT

**<< 1 multiplies by 2**

## OUTPUT

**8 << 1 == 16**



# Bitwise SHIFT RIGHT

```
int one=8;
```

16	8	4	2	1
0	1	0	0	0
0	0	1	0	0

```
out.println("8 >> 1 == " + (one>>1));
```

## SHORTCUT

**>> 1 divides by 2**

## OUTPUT

**8 >> 1 == 4**

**shiftright.java**  
**shiftright**

# Work on Programs!

## Crank

## Some Code!

A+ Computer Science

# Number Systems